CONTENTS

I. Encapsulated Cells

Controlled release of dopamine, insulin and other agents from microencapsulated cells
H. Uludag, J. Babensee, T. Roberts, L. Kharlip, V. Horvath and M.V. Sefton (Toronto, Ontario, Canada) 3

II. Tissue Growth and Organization

Controlled growth factor delivery induces differential neurite outgrowth in three-dimensional cell cultures
C.E. Beaty and W. Mark Saltzman (Baltimore, MD, USA) 15

III. Novel Sustained Release Devices

Application of supercritical fluids for the production of sustained delivery devices
P.G. Debenedetti, J.W. Tom, S.-D. Yeo and G.-B. Lim (Princeton, NJ, USA) 27

IV. Basics

Controlling diffusion
J.A. Wesselingh (Groningen, The Netherlands) 47
Formation of porous membranes for drug delivery systems
P. van de Witte, H. Esselbrugge, A.M.P. Peters, P.J. Dijkstra, J. Feijen (Enschede, The Netherlands), R.J.J. Groenewegen, J. Smid, J. Olijslager (Delft, The Netherlands), J.M. Schakenraad (Groningen, The Netherlands), M.J.D. Eenink and A.P. Sam (Oss, The, Netherlands) 61

V. Delivery of Steroids

In vivo biocompatibility studies of medisorb® 65/35 D,L-lactide/glycolide copolymer microspheres
K. Yamaguchi and J.M. Anderson (Cleveland, OH, USA) 81
Transdermal absorption of steroids
K. Knutson, D.J. Harrison , L.K. Pershing and C.Y. Goates (Salt Lake City, UT, USA) 95

VI. Targeting

Chelating polymer modified monoclonal antibodies for radioimmunodiagnostics and radioimmunotherapy
V.P. Torchilin, V.S. Trubetskoy, J. Narula, B.A. Khaw (Boston, MA, USA), A.L. Klibanov (Pittsburgh, PA, USA) and M.A. Slinkin (Nantes, France) 111
Block copolymer micelles as vehicles for drug delivery
K. Kataoka, G.S. Kwon, M. Yokoyama, T. Okano and Y. Sakurai (Chiba, Japan) 119
Anti-T cell immunotoxins: a look at post-endocytotic receptor-mediated routing
D.M. Neville, Jr., J. Scharff and K. Srinivasachar (Maryland, USA) 133
Drug targeting: application of endogenous carriers for site-specific delivery of drugs
Th.J.C. van Berkel (Leiden, The Netherlands) 145
Microspheres for targeting drugs to specific body sites
S.S. Davis, L. Illum, S.M. Moghimi, M.C. Davies, C.J.H. Porter, I.S. Muir, A. Brindley, N.M. Christy, M.E. Norman, P. Williams and S.E. Dunn (Nottingham, England, UK) 157

VII. Biodegradable Polymers for Drug Delivery

Degradable polyphosphazenes for biomedical applications
J. Crommen, J. Vandorpe and E. Schacht (Ghent, Belgium) 167

Novel biodegradable hydrogels prepared using the divinylic crosslinking agent *N,O*-dimethacryloylhydroxylamine. 1. Synthesis and characterisation of rates of gel degradation, and rate of release of model drugs, in vitro and in vivo
K. Ulbrich, V. Šubr (Prague, Czechoslovakia), L.W. Seymour and R. Duncan (Keele, England, UK) 181

VIII. Nasal/Pulmonal Delivery Systems

Influence of formulation variables on plasma growth hormone levels following intranasal administration of growth hormone-releasing peptide in anesthetized rats
J.K. Vora (Boston, MA, USA), G.A. Christensen, M.J. Reginato, R.A. Macia, C.H. Gochoco and C.K. Oh (King of Prussia, PA, USA) 193
Absorption enhancers in nasal drug delivery: efficacy and safety
F.W.H.M. Merkus, N.G.M. Schipper, W.A.J.J. Hermens, S.G. Romeijn and J.C. Verhoef (Leiden, The, Netherlands) 201
Pulmonary delivery of liposomes
H. Schreier (Alachua, FL, USA), R.J. Gonzalez-Rothi and A.A. Stecenko (Gainesville, FL, USA) 209

IX. Peptide Delivery

An in vitro pulmonary epithelial system for evaluating peptide transport
D.A. Wall, D. Pierdomenico and G. Wilson (King of Prussia, PA, USA) 227
Release of the GRF29NH_2 analog of human GRF44NH_2 from a PLA/GA matrix
B. Mariette, J. Coudane, M. Vert, J.-C. Gautier and Ph. Moneton (Montpellier, France) 237
Ultrasound induced delivery of peptides
J. Kost (Beer Sheva, Israel) 247

Publisher's Announcement 256